

Super Tires ® Application Chart (by Part#) - October 18, 2013

Classic Silicone (R = Rounded Sidewall)	Yellow Dog Urethane	Outer Diameter	Width	Compatible cars and wheels
Cars in bold indicate the closest match to the original tires (if more than one compatible Super Tires)				
1000C	1000Y	0.818" 20.78mm	0.405" 10.29mm	Fly (Panoz, Viper)
1001C	1001Y	0.836" 21.23mm	0.410" 10.41mm	Fly (Panoz, Viper)
1002C	1002Y	0.848" 21.54mm	0.410" 10.41mm	Fly (Panoz, Viper)
1003C	1003Y	0.792" 20.12mm	0.410" 10.41mm	Carrera (Ferrari 575), Fly (BMW M3 E30, BMW M3 GTR, Corvette, Ferrari F40, Joest Porsche WSC, Lister, Lola B98/10, Marcos, Porsche 911 GT, Porsche EVO, Saleen S7R, Venturi, Viper (2004))
1004C	1004Y	0.812" 20.62mm	0.410" 10.41mm	Carrera (Ferrari 575), Fly (BMW M3 E30, BMW M3 GTR, Corvette, Ferrari F40, Joest Porsche WSC, Lister, Lola B98/10, Marcos, Porsche 911 GT, Porsche EVO, Saleen S7R, Venturi, Viper (2004))
1005C	1005Y	0.838" 21.29mm	0.410" 10.41mm	Fly (BMW M3 E30, BMW M3 GTR, Corvette, Ferrari F40, Joest Porsche WSC, Lister, Lola B98/10, Marcos, Porsche 911 GT, Porsche EVO, Saleen S7R, Venturi, Viper (2004))
1006C	1006Y	0.850" 21.59mm	0.410" 10.41mm	Fly (BMW M3 E30, BMW M3 GTR, Corvette, Ferrari F40, Joest Porsche WSC, Lister, Lola B98/10, Marcos, Porsche 911 GT, Porsche EVO, Saleen S7R, Venturi, Viper (2004))
1007C	1007Y	0.815" 20.70mm	0.430" 10.92mm	CB Design (5-Spoke 15x11mm, Stock Car 15x11mm, 5-Spoke Racing 15x11mm, Classic Steel 15x11mm, Insert Wheel 15x11mm), Fly (Classic Series, Ferrari 512, Lola T70, Porsche 908, Porsche 917K), FlySlot (Lola T70, Ford MkII, Porsche 911 Carrera RS, Porsche 917LH), Spirit (Classic Series, MG Lola, Reynard), TSRF (1/32)
1008C	1008Y	0.830" 21.08mm	0.430" 10.92mm	CB Design (5-Spoke 15x11mm, Stock Car 15x11mm, 5-Spoke Racing 15x11mm, Classic Steel 15x11mm, Insert Wheel 15x11mm), Fly (Classic Series , Ferrari 365 GTB/4, Ferrari 512 , Ford GT40, Lola T70, Porsche 908 , Porsche 917K), FlySlot (Lola T70, Ford MkII, Porsche 911 Carrera RS , Porsche 917LH)
1009C	1009Y	0.844" 21.44mm	0.430" 10.92mm	CB Design (5-Spoke 15x11mm, Stock Car 15x11mm, 5-Spoke Racing 15x11mm, Classic Steel 15x11mm, Insert Wheel 15x11mm), Fly (Classic Series, Ferrari 365 GTB/4, Ferrari 512, Ford GT40, Lola T70, Porsche 908, Porsche 917K), FlySlot (Lola T70 , Ford MkII , Porsche 911 Carrera RS, Porsche 917LH)
1010C	1010Y	0.838" 21.29mm	0.430" 10.92mm	Scalextric (Audi R10, Ford GT, Lister Storm, Maserati MC12, Mercedes F1 Safety Car, Mercedes McLaren SLR), SCX (Dome Judd), Fly (Capri, Lancia, Porsche 911 GT, Porsche 935, BMW 3.5 CSL)
1011C	1011Y	0.824" 20.93mm	0.410" 10.41mm	Fly (Daytona Prototype, FlySlot Sunred)
1100C	1100Y	0.792" 20.12mm	0.430" 10.92mm	(new part number is 1111R - see below)
1100BC	1100BY	0.808" 20.52mm	0.430" 10.92mm	(new part number is 1112R - see below)
1101C	1101Y	0.802" 20.37mm	0.360" 9.14mm	Scalextric (NASCAR (including COT))
1102C	1102Y	0.804" 20.42mm	0.310" 7.87mm	Scalextric (Gran Torino, Corvette L88 (1968), Dodge Charger, Ferrari 330 P4, TransAm MiniLite Wheels (older))
1103C	1103Y	0.794" 20.17mm	0.453" 11.51mm	Scalextric (F1, Lotus 49, Eagle Gurney, Indy (Dallara))
1104C	1104Y	0.806" 20.47mm	0.337" 8.56mm	Scalextric (Ford GT40)
1105C	1105Y	0.808" 20.52mm	0.380" 9.65mm	Scalextric (Ford GT (old), Honda NSX JGTC, Nissan 350Z JGTC, Porsche 911 GT3, Toyota Supra JGTC, Maserati Trofeo, Mercedes AMG DTM, Mercedes SLK, Opel Astra DTM, Opel V8 Coupe DTM, Opel Vectra DTM)
1106C	1106Y	0.778" 19.76mm	0.294" 7.47mm	Scalextric (Mini-Cooper, Seat Leon, Ford Focus WRC, Mitsubishi Lancer WRC, Subaru WRC)
1111RC	1111RY	0.792" 20.12mm	0.430" 10.92mm	CB Design (LMP 17x11mm, Insert Wheel 17x11mm, 5-Spoke Racing 17x11mm), Scalextric (Cadillac Northstar LMP, Ferrari F430, Ford GT (new), Lamborghini Gallardo, McLaren MP4-12C, MG Lola, Mustang FR500C, Nissan Skyline, Porsche RS Spyder, Aston Martin DBR9/DBS, Audi R8 LMS GT3, BMW 320i, Dodge Viper GT, Jaguar XKR, Nissan GT-R Drift, Peugeot 908 HDI FAP, Porsche 997 GT3 RS, START GT Endurance, START Pro Racing, TVR T400R)
1112RC	1112RY	0.808" 20.52mm	0.430" 10.92mm	CB Design (LMP 17x11mm, Insert Wheel 17x11mm, 5-Spoke Racing 17x11mm), Scalextric (Cadillac Northstar LMP, Ferrari F430, Ford GT (new), Lamborghini Gallardo, McLaren MP4-12C, MG Lola, Mustang FR500C, Nissan Skyline, Porsche RS Spyder, Aston Martin DBR9/DBS, Audi R8 LMS GT3, BMW 320i, Dodge Viper GT, Jaguar XKR, Nissan GT-R Drift, Peugeot 908 HDI FAP, Porsche 997 GT3 RS, START GT Endurance, START Pro Racing, TVR T400R)
1113RC	1113RY	0.826" 20.98mm	0.430" 10.92mm	CB Design (LMP 17x11mm, Insert Wheel 17x11mm, 5-Spoke Racing 17x11mm), Scalextric (Cadillac Northstar LMP, Ferrari F430, Ford GT (new) , Lamborghini Gallardo, McLaren MP4-12C , MG Lola, Mustang FR500C, Nissan Skyline, Porsche RS Spyder, Aston Martin DBR9/DBS, Audi R8 LMS GT3, BMW 320i, Dodge Viper GT, Jaguar XKR, Nissan GT-R Drift, Peugeot 908 HDI FAP, Porsche 997 GT3 RS, START GT Endurance, START Pro Racing, TVR T400R)
1200C	1200Y	0.792" 20.12mm	0.410" 10.41mm	Ninco (Audi TT, BMW M3 GTR, BMW V12, Chevrolet Cruz, Corvette, DTM Mercedes, Ferrari F360, Ford GT, Honda NSX, Lamborghini Gallardo, Lamborghini Murcielago, Lexus SC430, Lotus Exige GT3, McLaren F1 GTR, Mercedes CLK, Mosler MT900, Nissan 350Z, Porsche 997, Porsche GT1, Renault Megane, Toyota Supra, Acura LMP, Mustang, Pro-Race 17 Wheels (#80740)), Carrera (Mercedes SLR)

Note 1: Shaded rows in the chart indicate the dimensions of the same tires on different wheels.

Note 2: Widths for "R" series tires are for the contact patch only (excludes sidewall)

Super Tires ® Application Chart (by Part#) - October 18, 2013

Classic Silicone	Yellow Dog Urethane	Outer Diameter	Width	Compatible cars and wheels
(R = Rounded Sidewall)				
Cars in bold indicate the closest match to the original tires (if more than one compatible Super Tires)				
1201C	1201Y	0.812" 20.62mm	0.410" 10.41mm	Ninco (Audi TT, BMW M3 GTR, BMW V12, Chevrolet Cruz, Corvette, DTM Mercedes, Ferrari F360, Ford GT, Honda NSX, Lamborghini Gallardo, Lamborghini Murcielago, Lexus SC430, Lotus Exige GT3, McLaren F1 GTR, Mercedes CLK, Mosler MT900, Nissan 350Z, Porsche 997, Porsche GT1, Renault Megane, Toyota Supra, Acura LMP, Mustang, Pro-Race 17 Wheels (#80740)), Carrera (Mercedes SLR)
1202C	1202Y	0.778" 19.76mm	0.480" 12.19mm	Ninco (F1, Indy)
1203C	1203Y	0.626" 15.90mm	0.456" 11.58mm	Ninco (Go-Kart)
1204RC	1204RY	0.805" 20.45mm	0.225" 5.72mm	CB Design (5-Spoke 15x07mm, Classic Steel 15x07mm, Insert Wheel 15x07mm), Scalextric (Mercedes 300 SLR), Ninco (Classic Series (eCept Cobra)), Racer (Porsche 911S)
1300C	1300Y	1.056" 26.82mm	0.420" 10.67mm	Carrera (1/24 (BMW-Panoz-Porsche))
1301C	1301Y	0.840" 21.34mm	0.241" 6.12mm	Carrera (Classic Series, 56 T-Bird, 57 Chevrolet Bel Air, 60 Plymouth Fury, 69 Camaro, Aston Martin DB5, Aston Martin Vanquish, Corvette Stingray, Ferrari 166/212, Maserati A6GCS, Pontiac GTO)
1302C	1302Y	0.932" 23.67mm	0.320" 8.13mm	Carrera (Classic NASCAR's)
1303C	1303Y	0.824" 20.93mm	0.380" 9.65mm	Carrera (NASCAR COT, BMW Z4 Coupe)
1304C	1304Y	0.809" 20.55mm	0.565" 14.35mm	Carrera (McLaren M20 CanAm)
1305C	1305Y	0.853" 21.67mm	0.631" 16.03mm	Carrera (Porsche 917/30 CanAm)
1306C	1306Y	0.812" 20.62mm	0.470" 11.94mm	Carrera (F1 2009-2010)
1307C	1307Y	0.845" 21.46mm	0.420" 10.67mm	Carrera (Audi R8, BMW M3)
1308C	1308Y	0.858" 21.79mm	0.410" 10.41mm	Carrera (Ferrari 599, Ferrari 458, Mercedes SLS)
1309C	1309Y	0.795" 20.18mm	0.470" 11.94mm	Carrera (Ford Capri, Francesco Bernoulli)
1400RC	1400Y	0.704" 17.88mm	0.350" 8.89mm	CB Design (5-Spoke 15x08mm, F1-style 15x08mm, LMP 15x08mm , Stock Car 15x08mm, 5-Spoke Racing 15x08mm, Classic Steel 15x08mm, Insert Wheel 15x08mm), Super Wheels SS (15x08mm), Slot.It (Ford GT40, Mazda 787B, Mercedes Sauber C9, Porsche 956, Porsche 956 (EVO6), Porsche 962, Porsche 962 (EVO6), 15x08mm (SIPA04-15-17-24-WH1183-1210), Toyota 88C, Audi R8C (original), Chapparral 2E, Ferrari 312PB, Ford Mk II, Jaguar XJR6/9/12, Lancia LC2/85), NSR (16x08mm Wheel (5001-5002)), Sloting+ (14.6 x 8.0mm, 15.0 x 8.0mm, 15.5 x 8.0mm, 15.9 x 8.0mm, 16.2 x 8.5mm)
1400RC	1400Y	0.757" 19.23mm	0.350" 8.89mm	CB Design (LMP 17x08mm, Classic Steel 17x08mm, Insert Wheel 17x08mm), Slot.It (17x08mm (SIPA18-38-43-WH1185)), Sloting+ (16.5 x 8.5mm, 16.9 x 8.5mm)
1401RC	1401Y	0.734" 18.64mm	0.350" 8.89mm	CB Design (5-Spoke 15x08mm, F1-style 15x08mm, LMP 15x08mm , Stock Car 15x08mm, 5-Spoke Racing 15x08mm, Classic Steel 15x08mm, Insert Wheel 15x08mm), Super Wheels SS (15x08mm), Slot.It (Ford GT40, Mazda 787B, Mercedes Sauber C9, Porsche 956, Porsche 956 (EVO6), Porsche 962, Porsche 962 (EVO6), 15x08mm (SIPA04-15-17-24-WH1183-1210), Toyota 88C, Audi R8C (original), Chapparral 2E, Ferrari 312PB, Ford Mk II, Jaguar XJR6/9/12, Lancia LC2/85), NSR (16x08mm Wheel (5001-5002), Fiat Abarth 500, Porsche 997 Rally), SCX (Volvo GT), Sloting+ (14.6 x 8.0mm, 15.0 x 8.0mm, 15.5 x 8.0mm, 15.9 x 8.0mm, 16.2 x 8.5mm)
1401RC	1401Y	0.785" 19.94mm	0.350" 8.89mm	CB Design (LMP 17x08mm, Classic Steel 17x08mm, Insert Wheel 17x08mm), Slot.It (17x08mm (SIPA18-38-43-WH1185)), NSR (17x08mm Wheel (5003)), Sloting+ (16.5 x 8.5mm, 16.9 x 8.5mm)
1402RC	1402RY	0.748" 19.00mm	0.350" 8.89mm	CB Design (5-Spoke 15x08mm, F1-style 15x08mm, LMP 15x08mm , Stock Car 15x08mm, 5-Spoke Racing 15x08mm, Classic Steel 15x08mm, Insert Wheel 15x08mm), Super Wheels SS (15x08mm), Slot.It (Alfa 33/3, Ford GT40, Mazda 787B, Mercedes Sauber C9, Porsche 956, Porsche 956 (EVO6) , Porsche 962, Porsche 962 (EVO6) , 15x08mm (SIPA04-15-17-24-WH1183-1210), Toyota 88C , Audi R8C (original), Chapparral 2E, Ferrari 312PB, Ford Mk II, Jaguar XJR6/9/12, Lancia LC2/85, McLaren F1 GTR (RAW), Nissan R390 (RAW)), NSR (Ford GT40, 16x08mm Wheel (5001-5002), Fiat Abarth 500 , Ford Mk IV, Ford P68, Mosler MT900R, Porsche 917K), Ninco (Mini-Cooper, Rally, Pro-Race 15 Wheels (#80718)), SCX (Morgan Aero 8, Rally, Seat Cupra GT, Tuner Car 2, BMW 320i), Racer (Capri, Lancia), Sloting+ (14.6 x 8.0mm, 15.0 x 8.0mm, 15.5 x 8.0mm, 15.9 x 8.0mm, 16.2 x 8.5mm), Artin (Mercedes CLK, Porsche GT1), Cartrix (BMW, Porsche)
1402RC	1402RY	0.796" 20.22mm	0.350" 8.89mm	CB Design (LMP 17x08mm, Classic Steel 17x08mm, Insert Wheel 17x08mm), Slot.It (17x08mm (SIPA18-38-43-WH1185)), NSR (17x08mm Wheel (5003)), Sloting+ (16.5 x 8.5mm, 16.9 x 8.5mm)

Note 1: Shaded rows in the chart indicate the dimensions of the same tires on different wheels.

Note 2: Widths for "R" series tires are for the contact patch only (excludes sidewall)

Super Tires ® Application Chart (by Part#) - October 18, 2013

Classic Silicone	Yellow Dog Urethane	Outer Diameter	Width	Compatible cars and wheels
(R = Rounded Sidewall)				
1403RC	1403RY	0.777" 19.74mm	0.350" 8.89mm	Cars in bold indicate the closest match to the original tires (if more than one compatible Super Tires) CB Design (5-Spoke 15x08mm, F1-style 15x08mm, LMP 15x08mm , Stock Car 15x08mm, 5-Spoke Racing 15x08mm, Classic Steel 15x08mm, Insert Wheel 15x08mm), Super Wheels SS (15x08mm), Slot.It (Alfa 33/3, Ford GT40, Mazda 787B, Mercedes Sauber C9, Porsche 956 , Porsche 956 (EVO6), Porsche 962 , Porsche 962 (EVO6), 15x08mm (SIPA04-15-17-24-WH1183-1210), Toyota 88C, Audi R8C (original), Chapparral 2E, Ferrari 312PB, Ford Mk II, Jaguar XJR6/9/12, Lancia LC2/85, McLaren F1 GTR (RAW), Nissan R390 (RAW)), NSR (Ford GT40 , 16x08mm Wheel (5001-5002), Ford Mk IV, Ford P68, Mosler MT900R, Porsche 917K), SCX (Seat Cupra GT, BMW 320i), Carrera (Enzo Ferrari), Racer (Capri, Lancia), Slotting+ (14.6 x 8.0mm, 15.0 x 8.0mm, 15.5 x 8.0mm, 15.9 x 8.0mm, 16.2 x 8.5mm), Mr Slotcar (Mazda 787B)
1403RC	1403RY	0.824" 20.93mm	0.350" 8.89mm	CB Design (LMP 17x08mm, Classic Steel 17x08mm, Insert Wheel 17x08mm), Slot.It (17x08mm (SIPA18-38-43-WH1185)), Slotting+ (16.5 x 8.5mm, 16.9 x 8.5mm)
1404RC	1404RY	0.805" 20.45mm	0.350" 8.89mm	CB Design (5-Spoke 15x08mm, F1-style 15x08mm, LMP 15x08mm , Stock Car 15x08mm, 5-Spoke Racing 15x08mm, Classic Steel 15x08mm, Insert Wheel 15x08mm), Super Wheels SS (15x08mm), Slot.It (Alfa 33/3, Ford GT40, Mazda 787B, Mercedes Sauber C9, Porsche 956, Porsche 956 (EVO6), Porsche 962, Porsche 962 (EVO6), 15x08mm (SIPA04-15-17-24-WH1183-1210), Toyota 88C, Audi R8C (original), Chapparral 2E, Ferrari 312PB, Ford Mk II, Jaguar XJR6/9/12, Lancia LC2/85), NSR (Ford GT40, 16x08mm Wheel (5001-5002), Ford Mk IV, Ford P68, Mosler MT900R, Porsche 917K), Carrera (Enzo Ferrari), Slotting+ (14.6 x 8.0mm, 15.0 x 8.0mm, 15.5 x 8.0mm, 15.9 x 8.0mm, 16.2 x 8.5mm)
1405RC	1405Y	0.840" 21.34mm	0.350" 8.89mm	CB Design (5-Spoke 15x08mm, F1-style 15x08mm, LMP 15x08mm , Stock Car 15x08mm, 5-Spoke Racing 15x08mm, Classic Steel 15x08mm, Insert Wheel 15x08mm), Super Wheels SS (15x08mm), Slot.It (Ford GT40, Mazda 787B, Mercedes Sauber C9, Porsche 956, Porsche 956 (EVO6), Porsche 962, Porsche 962 (EVO6), 15x08mm (SIPA04-15-17-24-WH1183-1210), Toyota 88C, Audi R8C (original), Chapparral 2E, Ferrari 312PB, Ford Mk II, Jaguar XJR6/9/12, Lancia LC2/85), NSR (16x08mm Wheel (5001-5002)), Slotting+ (14.6 x 8.0mm, 15.0 x 8.0mm, 15.5 x 8.0mm, 15.9 x 8.0mm, 16.2 x 8.5mm)
1407RC	1407Y	0.796" 20.22mm	0.394" 10.01mm	Slot.It (Ferrari F40, 17x10mm (SIPA10-19-62-WH1186), Audi R18, Audi R8C (Reloaded), Lola B09/60, Lola B10/60, McLaren F1 GTR (original), Nissan R390 (original), Porsche 911 GT1 EVO98), NSR (17x10mm Wheel (5004-5017)), Black Arrow (Aston Martin DBR9), SCX (Aston Martin DB9, Audi R10, Corvette C6R, Ferrari 360, Ferrari 550, Ferrari FXX, Peugeot 908 LMP), Carrera (Audi DTM, C6R Race Liveries (not Street), Mercedes DTM, Porsche GT3 RSR, Porsche RS Spyder ALMS), Racer (Daytona Prototype), Slotting+ (16.2 x 8.5mm, 16.5 x 8.5mm, 16.5 x 10.0mm, 16.9 x 8.5mm, 16.9 x 10.0mm, 17.2 x 9.0mm, 17.5 x 9.0mm), ScaleAuto (Mercedes SLS, Radical SR9), ProSlot (Porsche GT2, Toyota GT1)
1408RC	1408RY	0.808" 20.52mm	0.394" 10.01mm	CB Design (LMP 17x10mm, Insert Wheel 17x10mm), Super Wheels SS (17x10mm), Slot.It (Ferrari F40, 17x10mm (SIPA10-19-62-WH1186), Audi R18, Audi R8C (Reloaded), Lola B09/60, Lola B10/60, McLaren F1 GTR (original), Nissan R390 (original), Porsche 911 GT1 EVO98), NSR (Corvette C6R, 17x10mm Wheel (5004-5017), Abarth S2000, Audi R18 LMP, Audi R8 LMS, Porsche 997 , Renault Clio Cup/R3), Ninco (Lightning Pro Race), Black Arrow (Aston Martin DBR9), SCX (Aston Martin DB9, Audi R10, Corvette C6R, Ferrari 360, Ferrari 550, Ferrari FXX, Peugeot 908 LMP), Carrera (Audi DTM, C6R Race Liveries (not Street), Mercedes DTM, Porsche GT3 RSR, Porsche RS Spyder ALMS), Racer (Daytona Prototype), Slotting+ (16.2 x 8.5mm, 16.5 x 8.5mm, 16.5 x 10.0mm, 16.9 x 8.5mm, 16.9 x 10.0mm, 17.2 x 9.0mm, 17.5 x 9.0mm), ScaleAuto (Mercedes SLS), ProSlot (Porsche GT2, Toyota GT1)
1409RC	1409Y	0.823" 21.01mm	0.394" 10.01mm	Slot.It (Ferrari F40, 17x10mm (SIPA10-19-62-WH1186), Audi R18, Audi R8C (Reloaded), Lola B09/60, Lola B10/60, McLaren F1 GTR (original), Nissan R390 (original), Porsche 911 GT1 EVO98), NSR (17x10mm Wheel (5004-5017)), SCX (Aston Martin DB9, Audi R10, Corvette C6R, Ferrari 360, Ferrari 550, Ferrari FXX, Peugeot 908 LMP), Carrera (Audi DTM, C6R Race Liveries (not Street), Mercedes DTM, Porsche GT3 RSR, Porsche RS Spyder ALMS), Racer (Daytona Prototype), Slotting+ (16.2 x 8.5mm, 16.5 x 8.5mm, 16.5 x 10.0mm, 16.9 x 8.5mm, 16.9 x 10.0mm, 17.2 x 9.0mm, 17.5 x 9.0mm), ProSlot (Porsche GT2, Toyota GT1)
1410C	1410Y	0.842" 21.39mm	0.394" 10.01mm	CB Design (LMP 17x10mm, Insert Wheel 17x10mm), Super Wheels SS (17x10mm), Slot.It (Ferrari F40, 17x10mm (SIPA10-19-62-WH1186), Audi R18, Audi R8C (Reloaded), Lola B09/60, Lola B10/60, McLaren F1 GTR (original), Nissan R390 (original), Porsche 911 GT1 EVO98), NSR (17x10mm Wheel (5004-5017)), SCX (Corvette C6R, Ferrari FXX), Carrera (Audi DTM, C6R Race Liveries (not Street), Mercedes DTM, Porsche GT3 RSR , Porsche RS Spyder ALMS), Slotting+ (16.2 x 8.5mm, 16.5 x 8.5mm, 16.5 x 10.0mm, 16.9 x 8.5mm, 16.9 x 10.0mm, 17.2 x 9.0mm, 17.5 x 9.0mm)
1420C	1420Y	0.730" 18.54mm	0.470" 11.94mm	CB Design (F1-style 14.5x12mm), Slot.It (14x12mm (F1) (SIPA14-20)), NSR (F1 Wheel (5005))
1420C	1420Y	0.780" 19.81mm	0.470" 11.94mm	CB Design (5-Spoke 15x12mm, Stock Car 15x12mm, 5-Spoke Racing 15x12mm, Insert Wheel 15x12mm)
1421C	1421Y	0.740" 18.80mm	0.470" 11.94mm	CB Design (F1-style 14.5x12mm), Slot.It (14x12mm (F1) (SIPA14-20)), NSR (F1 Wheel (5005))
1421C	1421Y	0.794" 20.17mm	0.470" 11.94mm	CB Design (5-Spoke 15x12mm, Stock Car 15x12mm, 5-Spoke Racing 15x12mm, Insert Wheel 15x12mm)
1422C	1422Y	0.758" 19.25mm	0.470" 11.94mm	CB Design (F1-style 14.5x12mm), Slot.It (14x12mm (F1) (SIPA14-20)), NSR (F1 Wheel (5005))
1422C	1422Y	0.809" 20.55mm	0.470" 11.94mm	CB Design (5-Spoke 15x12mm, Stock Car 15x12mm, 5-Spoke Racing 15x12mm, Insert Wheel 15x12mm)

Note 1: Shaded rows in the chart indicate the dimensions of the same tires on different wheels.

Note 2: Widths for "R" series tires are for the contact patch only (excludes sidewall)

Super Tires ® Application Chart (by Part#) - October 18, 2013

Classic Silicone	Yellow Dog Urethane	Outer Diameter	Width	Compatible cars and wheels
(R = Rounded Sidewall)				
Cars in bold indicate the closest match to the original tires (if more than one compatible Super Tires)				
1423C	1423Y	0.770" 19.56mm	0.470" 11.94mm	CB Design (F1-style 14.5x12mm), Slot.It (14x12mm (F1) (SIPA14-20)), NSR (F1 Wheel (5005)), Fly (BMW M1)
1423C	1423Y	0.821" 20.85mm	0.470" 11.94mm	CB Design (5-Spoke 15x12mm, Stock Car 15x12mm, 5-Spoke Racing 15x12mm, Insert Wheel 15x12mm)
1425C	1425Y	0.800" 20.32mm	0.470" 11.94mm	CB Design (F1-style 14.5x12mm), Slot.It (14x12mm (F1) (SIPA14-20)), NSR (F1 Wheel (5005)), Monogram (Greenwood Corvette)
1425C	1425Y	0.850" 21.59mm	0.470" 11.94mm	CB Design (5-Spoke 15x12mm, Stock Car 15x12mm, 5-Spoke Racing 15x12mm, Insert Wheel 15x12mm)
1500C	1500Y	0.825" 20.96mm	0.510" 12.95mm	Vanquish (BRM, Lola, M8E, McLaren, Mirage, Others, Shadow)
1600C	1600Y	0.575" 20.78mm	0.250" 8.59mm	SCX (1/43 NASCAR)
1601C	1601Y	0.818" 14.61mm	0.338" 6.35mm	SCX (Barracuda Trans Am, NASCAR (Pre-COT-COT-Pro))
1603C	1603Y	0.806" 20.47mm	0.373" 9.47mm	SCX (Audi R8 Pro, SCX 17mm Pro Wheel (#50460))
1700C	1700Y	0.825" 20.96mm	0.310" 7.87mm	Revell (Jaguar E-Type), MRRC (Chaparral, Porsche 910), Monogram (Vintage NASCAR)
1800C	1800Y	0.748" 19.00mm	0.380" 9.65mm	Spirit (Courage, Peugeot 406)
1900C	1900Y	0.836" 21.23mm	0.330" 8.38mm	Scalextric (Ford Falcon, TransAm 5-Spoke Wheels (newer)), Pioneer (Mustang Race Liveries)
1901RC	1901RY	0.808" 20.52mm	0.290" 7.37mm	Pioneer (Charger)
2000RC	2000RY	0.815" 20.70mm	0.220" 5.59mm	Scalextric (Classic Beetle), MRRC (Chaparral, Cobra, Cheetah, Ford GT40 Mk IV, Kellison, King Cobra, Porsche 904 GTS, Porsche 911, Sebring Chassis)
2102RC	2102RY	0.785" 19.94mm	0.400" 10.16mm	CB Design (5-Spoke 15x08mm, F1-style 15x08mm, LMP 15x08mm, Stock Car 15x08mm, 5-Spoke 15x10mm, 5-Spoke Racing 15x08mm, Classic Steel 15x08mm, Classic Steel 17x08mm, Insert Wheel 15x08mm, Insert Wheel 15x10mm, Stock Car 15x10mm), Super Wheels SS (15x08mm), Slot.It (15x10mm (SIPA49-WH1184)), NSR (16x10mm Wheel (5015-5016)), Slotting+ (15.9 x 10.0mm, 16.2 x 10.0mm)
2102RC	2102RY	0.828" 21.03mm	0.400" 10.16mm	CB Design (LMP 17x10mm, Insert Wheel 17x10mm), Super Wheels SS (17x10mm), Slotting+ (16.5 x 10.0mm)
2104RC	2104RY	0.803" 20.40mm	0.400" 10.16mm	CB Design (5-Spoke 15x08mm, F1-style 15x08mm, LMP 15x08mm, Stock Car 15x08mm, 5-Spoke 15x10mm, 5-Spoke Racing 15x08mm, Classic Steel 15x08mm, Classic Steel 17x08mm, Insert Wheel 15x08mm, Insert Wheel 15x10mm, Stock Car 15x10mm), Super Wheels SS (15x08mm), Slot.It (15x10mm (SIPA49-WH1184)), NSR (16x10mm Wheel (5015-5016)), Slotting+ (15.9 x 10.0mm, 16.2 x 10.0mm)
2104RC	2104RY	0.848" 21.54mm	0.400" 10.16mm	CB Design (LMP 17x10mm, Insert Wheel 17x10mm), Super Wheels SS (17x10mm), Slotting+ (16.5 x 10.0mm)
2112RC	2112RY	0.780" 19.81mm	0.430" 10.92mm	CB Design (5-Spoke 15x11mm, 5-Spoke Racing 15x11mm, Insert Wheel 15x11mm, Classic Steel 15x11mm, Stock Car 15x11mm), Fly (Classic Series, Ferrari 512, Lola T70, Porsche 908), Monogram (Greenwood Corvette), Spirit (Classic Series, MG Lola, Reynard), TSRF (1/32)
DF1AC	DF1AY	0.750" 19.05mm	0.376" 9.55mm	Super Wheels DF (Double-Flange Wheel)
DF2AC	DF2AY	0.769" 19.53mm	0.376" 9.55mm	Super Wheels DF (Double-Flange Wheel)
DF3AC	DF3AY	0.780" 19.81mm	0.376" 9.55mm	Super Wheels DF (Double-Flange Wheel)
DF4AC	DF4AY	0.801" 20.35mm	0.376" 9.55mm	Super Wheels DF (Double-Flange Wheel)
DF5AC	DF5AY	0.814" 20.68mm	0.376" 9.55mm	Super Wheels DF (Double-Flange Wheel)
DF6AC	DF6AY	0.840" 21.34mm	0.376" 9.55mm	Super Wheels DF (Double-Flange Wheel)

Note 1: Shaded rows in the chart indicate the dimensions of the same tires on different wheels.

Note 2: Widths for "R" series tires are for the contact patch only (excludes sidewall)